according to Regulation (EC) No 1907/2006

Kuno Eco Spülmaschinen-Tabs

Revision date: 17.01.2024 Product code: PES1013526 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kuno Eco Spülmaschinen-Tabs

UFI: QGGN-SKMS-9XSN-5N39

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Automatic dishwashing detergents - household use

1.3. Details of the supplier of the safety data sheet

Company name:

Street:

Schorbachstraße 9

Place:

D-35510 Butzbach

Telephone:

+49 (0) 6033 796 98 23

E-mail:

info@uno-waschmittel.de

www.kuno-waschmittel.de

1.4. Emergency telephone

number:

Giftinformationszentrum Mainz- 24h-Tel.: +49 (0) 6131 19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Special labelling of certain mixtures

EUH208 Contains subtilisin, amylase, alpha-. May produce an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006

Kuno Eco Spülmaschinen-Tabs
Revision date: 17.01.2024 Product code: PES1013526 Page 2 of 12

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

Chemical name					
EC No	Index No	REACH No			
Classification (Regulation (EC) No 1272/2008)					
sodium carbonate			40 - < 45 %		
207-838-8	011-005-00-2	01-2119485498-19			
Eye Irrit. 2; H319					
sodium carbonate peroxyhydrat	te		10 - < 15 %		
239-707-6		01-2119457268-30			
Ox. Sol. 3, Acute Tox. 4, Eye D	am. 1; H272 H302 H318				
Alcohols, C12-14 (even number	red), ethoxylated (7-EO) (68439-	-50-9)	1 - < 5 %		
931-837-8					
Acute Tox. 4, Eye Irrit. 2; H302	H319				
Silicic acid, sodium salt, 2,6 < N	MR <= 3,2		1 - < 5 %		
215-687-4		01-2119448725-31			
Skin Irrit. 2, Eye Irrit. 2, STOT S	SE 3; H315 H319 H335				
subtilisin			< 1 %		
232-752-2	647-012-00-8	01-2119480434-38			
Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 2; H302 H315 H318 H334 H335 H400 H411					
titanium dioxide			< 1 %		
236-675-5	022-006-00-2	01-2119489379-17			
Carc. 2; H351					
amylase, alpha-			< 1 %		
232-565-6	647-015-00-4	01-2119480434-38			
Resp. Sens. 1; H334					
	EC No Classification (Regulation (EC) sodium carbonate 207-838-8 Eye Irrit. 2; H319 sodium carbonate peroxyhydrate 239-707-6 Ox. Sol. 3, Acute Tox. 4, Eye D Alcohols, C12-14 (even number 931-837-8 Acute Tox. 4, Eye Irrit. 2; H302 Silicic acid, sodium salt, 2,6 < N 215-687-4 Skin Irrit. 2, Eye Irrit. 2, STOT S subtilisin 232-752-2 Acute Tox. 4, Skin Irrit. 2, Eye I Chronic 2; H302 H315 H318 H3 titanium dioxide 236-675-5 Carc. 2; H351 amylase, alpha- 232-565-6	EC No	EC No Index No REACH No Classification (Regulation (EC) No 1272/2008) sodium carbonate 207-838-8 011-005-00-2 01-2119485498-19 Eye Irrit. 2; H319 sodium carbonate peroxyhydrate 239-707-6 01-2119457268-30 Ox. Sol. 3, Acute Tox. 4, Eye Dam. 1; H272 H302 H318 Alcohols, C12-14 (even numbered), ethoxylated (7-EO) (68439-50-9) 931-837-8 01-211948725-31 Skin Irrit. 2, Eye Irrit. 2; H302 H319 Silicic acid, sodium salt, 2,6 < MR <= 3,2 215-687-4 01-2119448725-31 Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335 subtilisin 232-752-2 647-012-00-8 01-2119480434-38 Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 2; H302 H315 H318 H334 H335 H400 H411 titanium dioxide 236-675-5 022-006-00-2 01-2119489379-17 Carc. 2; H351 amylase, alpha- 232-565-6 647-015-00-4 01-2119480434-38		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits. M-factors and ATE

	, iic. Ellillis, i	W-lactors and ATE					
CAS No	EC No	Chemical name	Quantity				
	Specific Cor	Specific Conc. Limits, M-factors and ATE					
497-19-8	207-838-8	sodium carbonate	40 - < 45 %				
	dermal: LD5	50 = > 2000 mg/kg; oral: LD50 = 2800 mg/kg					
15630-89-4	239-707-6	sodium carbonate peroxyhydrate	10 - < 15 %				
		50 = > 2000 mg/kg; oral: LD50 = 1034 mg/kg Eye Dam. 1; H318: >= 25 - 100 H319: >= 7,5 - < 25					
	931-837-8	Alcohols, C12-14 (even numbered), ethoxylated (7-EO) (68439-50-9)	1 - < 5 %				
	oral: ATE =	500 mg/kg					
1344-09-8	215-687-4	Silicic acid, sodium salt, 2,6 < MR <= 3,2	1 - < 5 %				
	dermal: LD50 = > 5000 mg/kg; oral: LD50 = 3400 mg/kg						
9014-01-1	232-752-2	subtilisin	< 1 %				
	oral: LD50 =	= 1800 mg/kg					
13463-67-7	236-675-5	titanium dioxide	< 1 %				
	oral: LD50 =	= > 10000 mg/kg					
9000-90-2	232-565-6	amylase, alpha-	< 1 %				
	inhalation: L	.C50 = > 5 mg/l (dusts or mists); oral: LD50 = > 2000 mg/kg					
مانا و ما و ا	f	eta according to Bogulation (EC) No 649/2004					

Labelling for contents according to Regulation (EC) No 648/2004

according to Regulation (EC) No 1907/2006

Kuno Eco Spülmaschinen-Tabs

Revision date: 17.01.2024 Product code: PES1013526 Page 3 of 12

5 % - < 15 % oxygen-based bleaching agents, 5 % - < 15 % polycarboxylates, < 5 % non-ionic surfactants, enzymes, perfumes (Citral, Limonene).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Observe risk of aspiration if vomiting occurs. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

In case of fire may be liberated: Pyrolysis products, toxic.

Hazardous decomposition products (oxygen-based bleaching agents): Oxygen.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Knock down dust with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Remove all sources of ignition. Provide adequate ventilation. Remove persons to safety. Wear personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

according to Regulation (EC) No 1907/2006

Kuno Eco Spülmaschinen-Tabs

Revision date: 17.01.2024 Product code: PES1013526 Page 4 of 12

For containment

Avoid dust formation. Stop leak if safe to do so.

For cleaning up

Take up mechanically. Take up dust-free and set down dust-free. Treat the recovered material as prescribed in the section on waste disposal.

Other information

Do not subject to friction. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Take off contaminated clothing. Draw up and observe skin protection programme. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep out of the reach of children.

Hints on joint storage

No information available.

Further information on storage conditions

Protect from moisture. Keep away from heat.

7.3. Specific end use(s)

Automatic dishwashing detergents - household use

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No Name o	f agent			
DNEL type		Exposure route	Effect	Value
15630-89-4 sodium	carbonate peroxyhydrate			
Worker DNEL, acute		dermal	local	12,8 mg/cm ²
Worker DNEL, long-te	erm	inhalation	local	5 mg/m³
Consumer DNEL, acu	te	dermal	local	6,4 mg/cm ²
1344-09-8 Silicic a	cid, sodium salt, 2,6 < MR <= 3,2			
Worker DNEL, long-te	rm	inhalation	systemic	5,61 mg/m ³
Worker DNEL, long-te	rm	dermal	systemic	1,59 mg/kg bw/day
Consumer DNEL, long	g-term	oral	systemic	0,80 mg/kg bw/day
Consumer DNEL, long	g-term	inhalation	systemic	1,38 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,80 mg/kg bw/day
9014-01-1 subtilisii	n			
Worker DNEL, long-te	erm	inhalation	systemic	0,000060 mg/m ³
Worker DNEL, acute		dermal	local	0,2 %

according to Regulation (EC) No 1907/2006

	Kuno Eco Spülmaschinen-Tabs	
Revision date: 17.01.2024	Product code: PES1013526	Page 5 of 12

DNEL/DMEL values

CAS No	Name of agent						
DNEL type		Exposure route	Effect	Value			
Worker DNEI	L, long-term	dermal	local	0,2 %			
Consumer DNEL, long-term		inhalation	local	0,000015 mg/m ³			
Consumer DNEL, long-term		inhalation	systemic	0,000015 mg/m ³			
Consumer DNEL, acute		dermal	local	0,2 %			
Consumer DNEL, long-term		dermal	local	0,2 %			
9000-90-2	0-90-2 amylase, alpha-						
Worker DMEL, long-term inhalation local 0,000060 mg/m³							
Consumer DMEL, long-term inhalation local 0,000015 mg/s							

PNEC values

i iteo vaia	.	
CAS No	Name of agent	
Environment	al compartment	Value
15630-89-4	sodium carbonate peroxyhydrate	
Freshwater		0,035 mg/l
1344-09-8	Silicic acid, sodium salt, 2,6 < MR <= 3,2	
Freshwater		7,5 mg/l
Freshwater (intermittent releases)	7,5 mg/l
Marine water	1	1 mg/l
Marine water	r (intermittent releases)	7,5 mg/l
Micro-organia	sms in sewage treatment plants (STP)	348 mg/l
9014-01-1	subtilisin	
Freshwater		0,0017 mg/l
Freshwater (intermittent releases)	0,0009 mg/l
Marine water	1	0,00017 mg/l
Micro-organis	sms in sewage treatment plants (STP)	65 mg/l
Soil		0,569 mg/kg
9000-90-2	amylase, alpha-	
Freshwater		0,0052 mg/l
Marine water	1	0,00052 mg/l
Micro-organis	sms in sewage treatment plants (STP)	65 mg/l

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Use eye protection according to EN 166.

Hand protection

Wear suitable gloves tested to EN374.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

according to Regulation (EC) No 1907/2006

Kuno Eco Spülmaschinen-Tabs

Revision date: 17.01.2024 Product code: PES1013526 Page 6 of 12

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Respiratory protection necessary at: dust formation

Thermal hazards

No information available.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid (Tablets)

Colour: white

Odour: characteristic
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: Non-flammable.

Contains: 5 - 30 % Combustible

solids

Lower explosion limits: not determined Upper explosion limits: not determined Flash point: not applicable Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: 10.5 (1 %) Viscosity / kinematic: not applicable Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density:

1,76 g/cm³

Bulk density:

950 kg/m³

Relative vapour density:

not determined

not determined

not determined

9.2. Other information

Tablets: 5 g

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

oxygen-based bleaching agents: Possibility of hazardous reactions.

10.4. Conditions to avoid

according to Regulation (EC) No 1907/2006

Kuno Eco Spülmaschinen-Tabs Product code: PES1013526

Page 7 of 12

Protect from moisture. Keep away from heat.

10.5. Incompatible materials

Revision date: 17.01.2024

No information available.

10.6. Hazardous decomposition products

Hazardous decomposition products (oxygen-based bleaching agents): Oxygen.

In case of fire may be liberated: Pyrolysis products, toxic.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 5866 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
497-19-8	sodium carbonate							
	oral	LD50 2800 mg/kg	Rat	Manufacturer				
	dermal	LD50 > 2000 mg/kg	Rabbit	Manufacturer	EPA 16 CFR 1500.40			
15630-89-4	sodium carbonate per	oxyhydrate						
	oral	LD50 1034 mg/kg	Rat	Manufacturer				
	dermal	LD50 > 2000 mg/kg	Rabbit	Manufacturer				
	Alcohols, C12-14 (even numbered), ethoxylated (7-EO) (68439-50-9)							
	oral	ATE 500 mg/kg						
1344-09-8	Silicic acid, sodium sa	lt, 2,6 < MR <= 3,2						
	oral	LD50 3400 mg/kg	Rat	Manufacturer				
	dermal	LD50 > 5000 mg/kg	Rat	Manufacturer				
9014-01-1	subtilisin							
	oral	LD50 1800 mg/kg	Rat	Manufacturer	OECD 401			
13463-67-7	titanium dioxide							
	oral	LD50 > 10000 mg/kg	Rat	Manufacturer				
9000-90-2	amylase, alpha-							
	oral	LD50 > 2000 mg/kg	Rat	Manufacturer				
	inhalation (4 h) dust/mist	LC50 > 5 mg/l	Rat	Manufacturer				

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains subtilisin, amylase, alpha-. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

Kuno Eco Spülmaschinen-Tabs Product code: PES1013526

uct code: PES1013526 Page 8 of 12

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Revision date: 17.01.2024

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Inhalation, oral, Skin contact, Eye contact.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

CAS No	Chemical name							
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method		
497-19-8	sodium carbonate							
	Acute fish toxicity	LC50 300 mg/l	96 h	Lepomis macrochirus (Bluegill)	Manufacturer			
	Acute crustacea toxicity	EC50 200-227 mg/l	48 h	Daphnia sp.	Manufacturer			
15630-89-4	sodium carbonate pe	roxyhydrate						
	Acute fish toxicity	LC50 4,9 mg/l	96 h	Pimephales promelas (fathead minnow)	Manufacturer			
	Acute crustacea toxicity	EC50 70,7 mg/l	48 h	Daphnia pulex (water flea)	Manufacturer			
	Fish toxicity	NOEC 7,4 mg/l	4 d	Pimephales promelas (fathead minnow)	Manufacturer			
	Crustacea toxicity	NOEC 2 mg/l	2 d	Daphnia pulex (water flea)	Manufacturer			
1344-09-8	Silicic acid, sodium sa	alt, 2,6 < MR <= 3,2						
	Acute fish toxicity	LC50 1108 mg/l	96 h	Danio rerio (zebrafish)	Manufacturer			
	Acute crustacea toxicity	EC50 1700 mg/l	48 h	Daphnia magna (Big water flea)	Manufacturer			
9014-01-1	subtilisin							
	Acute algae toxicity	ErC50 0,830 mg/l	72 h	Algae	Manufacturer	OECD 201		
	Acute crustacea toxicity	EC50 0,586 mg/l	48 h	Daphnia spec.	Manufacturer	OECD 202		
	Algae toxicity	NOEC 0,041 mg/l	3 d	Pseudokirchneriella subcapitata	Manufacturer			
13463-67-7	titanium dioxide							
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia spec.	Manufacturer			

according to Regulation (EC) No 1907/2006

	Kuno Eco Spülmaschinen-Tabs	
Revision date: 17.01.2024	Product code: PES1013526	Page 9 of 12

CAS No	Chemical name	Chemical name						
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method		
9000-90-2	amylase, alpha-							
	Acute fish toxicity	LC50 58,3 - 326,7 mg/l	96 h	Piscis	Manufacturer	OECD 203		
	Acute algae toxicity	ErC50 > 5,2 mg/l	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201		
	Acute crustacea toxicity	EC50 212 mg/l	48 h	Daphnia magna (Big water flea)	Manufacturer			
	Fish toxicity	NOEC > 100 mg/l	4 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer			
	Algae toxicity	NOEC 1,3 mg/l	3 d	Pseudokirchneriella subcapitata	Manufacturer			

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
9014-01-1	subtilisin			
		102 %	29	Manufacturer
	Readily biodegradable (according to OECD criteria).			
9000-90-2	amylase, alpha-			
	OECD 301E	99 %	28	Manufacturer
	Readily biodegradable (according to OECD criteria).	·	•	•

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
9014-01-1	subtilisin	< 0
9000-90-2	amylase, alpha-	< 0

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

according to Regulation (EC) No 1907/2006

Kuno Eco Spülmaschinen-Tabs

Product code: PES1013526 Revision date: 17.01.2024 Page 10 of 12

Wash with plenty of water. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Hazardous decomposition products (oxygen-based bleaching agents): Oxygen.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2010/75/EU on industrial

< 0.1 %

emissions:

Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation].

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

according to Regulation (EC) No 1907/2006

Kuno Eco Spülmaschinen-Tabs

Revision date: 17.01.2024 Product code: PES1013526 Page 11 of 12

SECTION 16: Other information

Abbreviations and acronyms

Ox. Sol: Oxidising solid Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

Resp. Sens: Respiratory sensitisation

Carc: Carcinogenicity

STOT SE: Specific target organ toxicity - single exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Key literature references and sources for data

(*)

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.

according to Regulation (EC) No 1907/2006

Kuno Eco Spülmaschinen-Tabs
Revision date: 17.01.2024 Product code: PES1013526 Page 12 of 12

Relevant H and EUH statements (number and full text)

H318	Causes serious eye damage.
H319	Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.
 H351 Suspected of causing cancer.
 H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains subtilisin, amylase, alpha-. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)